

**Chapter 3  
List of Figures**

Figure 3.2-1 Quality Group and Seismic Category Classification Applicable to Power Conversion System.....3.2-76

Figure 3.2-2 Quality Group and Seismic Category Classification Applicable to Feedwater System .....3.2-77

Figure 3.5-1 Missile Velocity and Displacement Characteristics Resulting from Saturated Steam and Water Blowdowns (7.2 MPaA Stagnation Pressure) .....3.5-15

Figure 3.5-2 Lungmen NPS Low-Trajectory Turbine Missile Ejection Zone .....3.5-16

Figure 3.6-1 Jet Characteristics.....3.6-35

Figure 3.6-2 Typical Pipe Whip Restraint Configuration.....3.6-36

Figure 3.6-3 Initial Blowdown and Wave Forces .....3.6-37

Figure 3.6-4 Acceptable Types of Pipe Whip Restraints.....3.6-38

Figure 3.7-1 Horizontal Safe Shutdown Earthquake Design Spectra .....3.7-43

Figure 3.7-2 Vertical Safe Shutdown Earthquake Design Spectra .....3.7-44

Figure 3.7-3a Horizontal NS Component Acceleration Time History .....3.7-45

Figure 3.7-3b Horizontal NS Component Velocity Time History .....3.7-46

Figure 3.7-3c Horizontal NS Component Displacement Time History.....3.7-47

Figure 3.7-4a Horizontal EW Component Acceleration Time History .....3.7-48

Figure 3.7-4b Horizontal EW Component Velocity Time History .....3.7-49

Figure 3.7-4c Horizontal EW Component Displacement Time History .....3.7-50

Figure 3.7-5a Vertical Component Acceleration Time History .....3.7-51

Figure 3.7-5b Vertical Component Velocity Time History .....3.7-52

Figure 3.7-5c Vertical Component Displacement Time History .....3.7-53

Figure 3.7-6 0.5% Damped Response Spectra, NS Component.....3.7-54

Figure 3.7-7 1.0% Damped Response Spectra, NS Component.....3.7-55

Figure 3.7-8 2.0% Damped Response Spectra, NS Component.....3.7-56

Figure 3.7-9 5.0% Damped Response Spectra, NS Component.....3.7-57

Figure 3.7-10 7.0% Damped Response Spectra, NS Component.....3.7-58

**List of Figures (Continued)**

Figure 3.7-11 10.0% Damped Response Spectra, NS Component.....3.7-59

Figure 3.7-12 0.5% Damped Response Spectra, EW Component.....3.7-60

Figure 3.7-13 1.0% Damped Response Spectra, EW Component.....3.7-61

Figure 3.7-14 2.0% Damped Response Spectra, EW Component.....3.7-62

Figure 3.7-15 5.0% Damped Response Spectra, EW Component.....3.7-63

Figure 3.7-16 7.0% Damped Response Spectra, EW Component.....3.7-64

Figure 3.7-17 10.0% Damped Response Spectra, EW Component.....3.7-65

Figure 3.7-18 0.5% Damped Response Spectra, VT Component.....3.7-66

Figure 3.7-19 1.0% Damped Response Spectra, VT Component.....3.7-67

Figure 3.7-20 2.0% Damped Response Spectra, VT Component.....3.7-68

Figure 3.7-21 5.0% Damped Response Spectra, VT Component.....3.7-69

Figure 3.7-22 7.0% Damped Response Spectra, VT Component.....3.7-70

Figure 3.7-23 10.0% Damped Response Spectra, VT Component.....3.7-71

Figure 3.7-24 Power Spectral Density Function, NS Component .....3.7-72

Figure 3.7-25 Power Spectral Density Function, EW Component .....3.7-73

Figure 3.7-26 Power Spectral Density Function, VT Component.....3.7-74

Figure 3.7-27 Seismic System Analytical Model .....3.7-75

Figure 3.8-1 Reactor Building Arrangement Floor B3F Elevation –8200 mm .....3.8-62

Figure 3.8-2 Reactor Building Arrangement Floor B2F Elevation –1700 mm .....3.8-63

Figure 3.8-3 Reactor Building Arrangement Floor B1F Elevation 4800 mm .....3.8-64

Figure 3.8-4 Reactor Building Arrangement Floor 1F Elevation 12300 mm.....3.8-65

Figure 3.8-5 Reactor Building Arrangement Floor 2F Elevation 18100 mm.....3.8-66

Figure 3.8-6 Reactor Building Arrangement Floor 3F Elevation 23500 mm.....3.8-67

Figure 3.8-7 Reactor Building Arrangement Floor 4F Elevation 31700 mm.....3.8-68

Figure 3.8-8 Reactor Building Arrangement Elevation 38200 mm.....3.8-69

Figure 3.8-9 Typical Section of Containment Liner Plate and Anchor .....3.8-70

**List of Figures (Continued)**

Figure 3.8-10	Reactor Building—Containment Upper Drywell Equipment Hatch.....	3.8-71
Figure 3.8-11	Reactor Building RCCV Internal Structures Nomenclature .....	3.8-72
Figure 3.9-1	Transient Pressure Differentials Following a Steam Line Break.....	3.9-130
Figure 3.9-2	Reactor Internal Flow Paths and Minimum Floodable Volume .....	3.9-131
Figure 3.9-3	ABWR Recirculation Flow Path.....	3.9-132
Figure 3.9-4	Fuel Support Pieces.....	3.9-133
Figure 3.9-5	Pressure Nodes for Depressurization Analysis .....	3.9-134
Figure 3.9-6	Stress-Strain Curve for Blowout Restraints .....	3.9-135
Figure 3.10-1	Typical Vertical Board.....	3.10-11
Figure 3.10-2	Instrument Panel.....	3.10-11
Figure 3.10-3	Typical Local Rack .....	3.10-12
Figure 3.10-4	NEMA Type-12 Enclosure.....	3.10-12
Figure 3B-1	Reactor Building - RCCV Configuration.....	3B-37
Figure 3B-2	X-Quencher Schematic .....	3B-38
Figure 3B-3	X-Quencher Azimuthal Locations in the ABWR Suppression Pool.....	3B-39
Figure 3B-4	Dimensions for P(r) Calculation .....	3B-40
Figure 3B-5	Circumferential Distribution .....	3B-41
Figure 3B-6	Quencher Bubble Pressure Time History.....	3B-42
Figure 3B-7	Spatial Load Distribution for SRV Loads.....	3B-43
Figure 3B-8	Not Used.....	3B-44
Figure 3B-9	PSTF Test Data vs PICSM Prediction: Test 5702-11 .....	3B-45
Figure 3B-10	PSTF Test Data vs Model Prediction: Test 5806-4.....	3B-46
Figure 3B-11	Pool Boundary Pressure During Pool Swell, Normalized To Bubble Pressure.....	3B-47
Figure 3B-12	Not Used.....	3B-48
Figure 3B-13	Schematic of the Pool Swell Phenomenon.....	3B-49
Figure 3B-14	Drag Coefficient for Cylinders Following Impact.....	3B-50

**List of Figures (Continued)**

Figure 3B-15	SS Test Facility .....	3B-51
Figure 3B-16	FS* Test Facility .....	3B-52
Figure 3B-17	Test Sensors Common to FS* and SS Tests .....	3B-53
Figure 3B-18	Test Sensors Unique to FS* and SS Tests.....	3B-54
Figure 3B-19	Envelope PSD at 019P for SST-1, 2, 3, 9, 11, and 12.....	3B-55
Figure 3B-20	Six-Test and Key-Segment Envelope PSDs and 019P.....	3B-56
Figure 3B-21	Containment CO Source Load Methodology.....	3B-57
Figure 3B-22	ABWR Typical Pressure Fluctuation Due to CO.....	3B-58
Figure 3B-23	Spatial Load Distribution for CO.....	3B-59
Figure 3B-24	Typical Large Chug (025P).....	3B-60
Figure 3B-25	PSD of Typical Large Chug (025P) .....	3B-61
Figure 3B-26	Containment Chug Source Load Methodology.....	3B-62
Figure 3B-27	Comparison of PSDs Between Analysis and Test .....	3B-63
Figure 3B-28	Spatial Load Distribution for CH.....	3B-64
Figure 3B-29	Typical Wall Pressure Time History Due to CH.....	3B-65
Figure 3B-30	Location of Lower Drywell Access Tunnel .....	3B-66
Figure 3B-31	Typical Test Result of Upward Load on Horizontal Vent Due to CH.....	3B-67
Figure 3B-32	Typical Test Result of Moment Due on Horizontal Vent to CH .....	3B-68
Figure 3B-33	Horizontal Vent Upward Loading for Vent Pipe and Pedestal .....	3B-69
Figure 3B-34	Horizontal Vent Upward Loading for Structure Response Analysis .....	3B-70
Figure 3I-1	Zones in Primary Containment Vessel.....	3I-18